

# AJIC Contents

## American Journal of Infection Control

### MAJOR ARTICLES

- Identifying management practices for promoting infection prevention: Perspectives on strategic communication** 593  
AS McAlearney, SR MacEwan, ME Gregory, LN Sova, C Hebert, and AA Gaughan
- Analysis of blood type for SARS-CoV-2 and correlation for disease acquisition in various sociodemographic groups including women of childbearing age** 598  
ML Vacca, N Vyas, J Banks, E Joyce, C Hou, BE Leiby, S DeAngelo, TP Levin, A Shingler-Nace, M Mapp, A Hiester, and JH Coughenour
- Surgical outcomes in children with perioperative SARS-CoV-2 diagnosis** 602  
C Nielson, D Suarez, IK Taylor, Y Huang, and AH Park
- North Carolina public school teachers' contact patterns and mask use within and outside of school during the prevaccine phase of the COVID-19 pandemic** 608  
KA Powers, KM Sullivan, SL Zadrozny, BE Shook-Sa, R Byrnes, DA Bogojevich, DL Lauen, P Thompson, WR Robinson, P Gordon-Larsen, and AE Aiello
- Medical masks' and respirators' pattern of use, adverse effects and errors among Portuguese health care professionals during the COVID-19 pandemic: A cross-sectional study** 618  
D Peres, J Monteiro, and J Boléo-Tomé
- Surgical helmets can be converted into efficient disinfectable powered air-purifying respirators** 624  
MJ Temmesfeld, AA Gorzkowska-Sobas, K Hedlund, MØ Øyen, L Kantén, P Grant, and RB Jakobsen
- Enhancing the effectiveness of contact tracing interviews: A randomized controlled experiment of an enhanced cognitive interview protocol** 631  
JR Evans, HR Dawson, H Chae, D Goldfarb, RP Fisher, RE Dianiska, A Daneshbodi, and CA Meissner
- Contact tracing as a measure to combat COVID-19 and other infectious diseases** 638  
M Du
- Retrospective evaluation of the symptom-based work restriction strategy of healthcare providers in the first epidemic of COVID-19 at a tertiary care hospital in Tokyo, Japan** 645  
H Shikano, Y Uehara, R Kuboki, E Tashino, F Nakahara, Y Matsumoto, S Kusakabe, C Fukazawa, T Matsuo, N Mori, A Ayabe, T Jinta, F Taki, F Sakamoto, O Takahashi, and T Fukui

# 100 years of infection control. We've got this.

Infection prevention across the care continuum – well-tolerated, easily accessible and high-level disinfectants, making compliance simple.

Infection Control Done Right.™



Stop by Booth #2058 at the APIC Annual Conference to learn more about the newest member of our product family.



(800) 726-2308 | [www.angelini-us.com](http://www.angelini-us.com)

- Learning to interact with new technology: Health care workers' experiences of using a monitoring system for assessing hand hygiene – a grounded theory study** 651  
K Granqvist, L Ahlstrom, J Karlsson, B Lytsy, and AE Andersson
- An innovative strategy for nursing training on standard and transmission-based precautions in primary health care: A randomized controlled trial** 657  
IPBD Passos, MC Padoveze, SH Zem-Mascarenhas, JY Kawagoe, AMdS Felix, S Timmons, and RMd Figueiredo
- Colonization of the central venous catheter by *Stenotrophomonas maltophilia* in an ICU setting: An impending outbreak managed in time** 663  
R Kanaujia, A Bandyopadhyay, M Biswal, N Sahni, K Kaur, S Vig, V Sharma, A Angrup, LN Yaddanapudi, and P Ray
- Comparison between antimicrobial stewardship program and intervention by infection control team for managing antibiotic use in neurogenic bladder-related urinary tract infection patients: A retrospective chart audit** 668  
S Mukai, K Shigemura, Y-M Yang, M Nomi, A Yanagiuchi, S-B Fang, R Onishi, A Sengoku, and M Fujisawa
- Risk factors for bloodstream infection by multidrug-resistant organisms in critically ill patients in a reference trauma hospital** 673  
L Rodrigues Pires de Campos, M Farrel Côrtes, B Deo, C Rizek, S Santos, L Perdigão, and SF Costa
- Prolonged outbreak of clonal, mupirocin-resistant methicillin-resistant *Staphylococcus aureus* in a neonatal intensive care unit: association with personnel and a possible environmental reservoir, analyzed using whole genome sequencing** 680  
LG Rubin, J Beachy, T Matz, A Balamohan, L Jendresky, J Zembera, MK Annavajhala, and A-C Uhlemann
- A back table ultraviolet light decreases environmental contamination during operative cases** 686  
JM Jennings, TM Miner, RM Johnson, AK Pollet, AC Brady, and DA Dennis
- Bacterial urine profile and optimal urine specimen collection timing in asymptomatic chronically catheterized adults with spinal cord injuries and disorders** 690  
F Camacho-Cordovez, MK Henzel, L Bauer, NGE Chakhtoura, K Leili, F Perez, JA Vida-Clough, B Klonowski, P Kiefer, CJ Donskey, and ME Navas
- CLINICAL CASE STUDY
- Health care-associated infections studies project: An American journal of infection control and national healthcare safety network data quality collaboration case study - Chapter 2 *Identifying Healthcare-associated Infections (HAI) for NHSN Surveillance* case study vignettes** 695  
H Smith, J Watkins, M Otis, JN Hebden, and M-O Wright
- BRIEF REPORTS
- Trends in COVID-19 vaccination receipt and intention to vaccinate, United States, April to August, 2021** 699  
KH Nguyen, K Nguyen, M Geddes, JD Allen, and L Corlin
- Factors associated with intensified infection prevention and vaccination practice among Thai health care personnel: A multicenter survey during COVID-19 pandemic** 704  
O Sathitakorn, K Jantarathaneewat, DJ Weber, DK Warren, and A Apisarnthanarak

# MICROBIAL SURVEILLANCE TESTING MADE EASY

*Healthmark offers the One-Two Punch to Identify and Document the Efficacy of Your Endoscope Reprocessing*

## SCREEN WITH THE **NOW! TEST**

*Rapid Indicator of  
Gram-Negative bacteria*

This immediate, practical screening test is available as a swab or flush method. Simply flush the lumen or swab the elevator mechanism of a flexible endoscope, such as a duodenoscope, and follow the procedure for gram-negative bacteria detection in less than 12 hours.

**< 10 CFU**



 **healthmark**

## AUDIT WITH THE


# FLEXIBLE ENDOSCOPE SAMPLING KIT

*Surveillance tool for the random testing of duodenoscopes in compliance with FDA guidelines - In association with Nelson Laboratories*



A simple and complete kit. After flushing and brushing the lumen and elevator mechanism of a duodenoscope, simply follow the procedure to have the sample solution & brush heads quickly sent to Nelson Laboratories - the leader in independent testing of flexible endoscopes. All tools are included for testing and shipment.

  
**NELSON**  
LABORATORIES

- Adherence to non-pharmacological preventive measures among healthcare workers in a middle-income country during the first year of the COVID-19 pandemic: Hospital and community setting** 707  
SF Costa, S Vernal, P Giavina-Bianchi, CH Mesquita Peres, LGD dos Santos, REB Santos, RCC Santos, MCPB Francisco, FM Satie, LM dal Secco, A Pivetta Cora, CL dos santos, AJdS Duarte, ESDd Oliveira Bonfá, AJ Perreira, EC Sabino, AC Segurado, and AS Levin
- Assessment of the invisible blood contamination on nurses' gloved hands during vascular access procedures in a hemodialysis unit** 712  
L Li, K Ni, X Du, S Wu, J Zhang, H Zhou, Q Hu, H Zeng, X Sui, Q Meng, and X Wang
- LETTERS TO THE EDITOR
- Dental care and hospital mortality in ICU patients** 714  
PM Honore EdP Afonso and S Blot
- Customizing the indication of chlorhexidine mouthwash for critically ill patients: A reply letter to Honore P.M. and colleagues** 715  
WT Bellissimo-Rodrigues, MG Meneguetti, A Basile-Filho, and F Bellissimo-Rodrigues
-  **Article is available online** [www.ajicjournal.org](http://www.ajicjournal.org)