

AJIC Contents

American Journal of Infection Control

COMMENTARY

- **Personal protective equipment research and innovation in the context of the World Health Organization COVID-19 R&D Blueprint program** 839
M Moon, L Pecchia, AV Berumen, and A Baller

MAJOR ARTICLES

- **Inactivation strategies for SARS-CoV-2 on surgical masks using light-activated chemical dyes** 844
KB Kabra, TS Lendvay, J Chen, P Rolley, T Dawson, and CN Mores
- **The use of drones for the delivery of diagnostic test kits and medical supplies to remote First Nations communities during Covid-19** 849
K Flemons, B Baylis, AZ Khan, AW Kirkpatrick, K Whitehead, S Moeini, A Schreiber, S Lapointe, S Ashoori, M Arif, B Berenger, J Conly, and W Hawkins
- **Methylene blue applied to N95 respirators and medical masks for SARS-CoV-2 decontamination: What is the likelihood of inhaling methylene blue?** 857
TS Lendvay, J Xu, J Chen, T Clark, and Y Cui
- **Exploring inactivation of SARS-CoV-2, MERS-CoV, Ebola, Lassa, and Nipah viruses on N95 and KN95 respirator material using photoactivated methylene blue to enable reuse** 863
FEM Scholte, KB Kabra, SR Tritsch, JM Montgomery, CF Spiropoulou, CN Mores, and BH Harcourt
- **Of masks and methylene blue—The use of methylene blue photochemical treatment to decontaminate surgical masks contaminated with a tenacious small nonenveloped norovirus** 871
C Wielick, A Fries, L Dams, RM Razafimahefa, B Heyne, BH Harcourt, TS Lendvay, J-F Willaert, S de Jaeger, E Haubruge, E Thiry, and LF Ludwig-Begall
- **A mixed methods study on effectiveness and appropriateness of face shield use as COVID-19 PPE in middle income countries** 878
J Brainard, S Hall, M van der Es, A Sekoni, A Price, MC Padoveze, FT Ogunsola, LYI Nichiata, E Hornsey, B Crook, F Cirino, L Chu, and PR Hunter
- **Considering context: Adaptive elements of a simulation program to improve primary care safety during the COVID-19 pandemic in Alberta, Canada** 885
R Fadaak, N Pinto, and M Leslie
- **Detection of SARS-CoV-2 in exhaled air using non-invasive embedded strips in masks** 890
EN Gallichotte, W Windsor, S Watts, N Sexton, C Henry, T Jaenisch, MM Lamb, G Winstanley, B Adams, M Chu, and GD Ebel

MICROBIAL SURVEILLANCE TESTING MADE EASY

Healthmark offers the One-Two Punch to Identify and Document the Efficacy of Your Endoscope Reprocessing

SCREEN WITH THE **NOW! TEST**

*Rapid Indicator of
Gram-Negative bacteria*

This immediate, practical screening test is available as a swab or flush method. Simply flush the lumen or swab the elevator mechanism of a flexible endoscope, such as a duodenoscope, and follow the procedure for gram-negative bacteria detection in less than 12 hours.

< 10 CFU



 **healthmark**

AUDIT WITH THE

FLEXIBLE ENDOSCOPE SAMPLING KIT

Surveillance tool for the random testing of duodenoscopes in compliance with FDA guidelines - In association with Nelson Laboratories



A simple and complete kit. After flushing and brushing the lumen and elevator mechanism of a duodenoscope, simply follow the procedure to have the sample solution & brush heads quickly sent to Nelson Laboratories - the leader in independent testing of flexible endoscopes. All tools are included for testing and shipment.


**NELSON
LABORATORIES**

STATE OF THE SCIENCE REVIEW

- **Personal protective equipment implementation in healthcare: A scoping review** 898
L Cordeiro, JR Gnatta, CL Ciofi-Silva, A Price, NA de Oliveira, RMA Almeida, GM Mainardi, S Srinivas, W Chan, ASS Levin, and MC Padoveze

BRIEF REPORT

- **Methylene blue in combination with sunlight as a low cost and effective disinfection method for coronavirus-contaminated PPE** 906
KA Vos, PMK Gordon, and B Heyne

MAJOR ARTICLES

- Impact of dry hydrogen peroxide on hospital-acquired infection at a pediatric oncology hospital** 909
M Melgar, M Ramirez, A Chang, and F Antillon

- Complications of peripherally inserted central catheters in adult hospitalized patients and outpatients in the KTFIXPICC study: A randomized controlled trial evaluating a fixation device KT FIX Plussystem** 916
A Fohlen, AR Briant, JJ Dutheil, V Le Pennec, J-P Pelage, and J-J Parienti

- Effect of sodium hypochlorite on biofilm of *Klebsiella pneumoniae* with different drug resistance** 922
C Huang, S Tao, J Yuan, and X Li

- Risk factors for isolation of carbapenem-resistant Enterobacterales from normally sterile sites and urine** 929
ME Sexton, C Bower, and JT Jacob

- Molecular determination, serotyping, antibiotic profile and virulence factors of group B *Streptococcus* isolated from invasive patients at Arabcare Hospital Laboratory, Palestine** 934
E Awwad, M Srour, S Hasan, and S Khatib

- Clinical utility of negative methicillin-resistant *Staphylococcus aureus* (MRSA) nasal surveillance swabs in skin and skin structure infections** 941
R Burgoon, E Weeda, KN Mediwala, and BR Raux

- Rapid disinfection of radiology treatment rooms using an autonomous ultraviolet germicidal irradiation robot** 947
C McGinn, R Scott, C Ryan, N Donnelly, MF Cullinan, and M Beckett

- A collaborative approach intended to reduce the duration of short term urinary catheters in adult patients at a tertiary care medical center also significantly reduced the duration of hospitalization** 954
JT Joseph, SS Roy, N Shams, P Visintainer, and GP Wormser

BRIEF REPORTS

- Developing valid test bank of surveillance case study scenarios for inter-rater reliability** 960
K Holmes, M Moinuddin, and S Steinfeld



TOGETHER, WE'RE READY FOR ANYTHING

You rise to every challenge to protect health and safety. That's why Clorox Healthcare offers best-in-class products, protocols and training to help keep environmental disinfection under control and help prevent HAIs. So everyone can return home safely.

© 2022 Clorox Professional Products Company. NI-58259

Learn more at [cloroxhealthcare.com](https://www.cloroxhealthcare.com)

- Performance of a multidisciplinary team and the impact of bundles for reducing health care associated infections in adult intensive care unit: 22 years of experience** 963
L Kataoka, CV Silva, MS Júnior, PF Martineli, ABS de Araújo, HMF Castagna, AdR Toniolo, P Gonçalves, L Corrêa, CR Laselva, MA Yamashita, MRdA Guerra, NM Lucinio, AR Marra, TZS Camargo, AM Carvalheiro, RA Caserta, LJR Ferraz, LFA Camargo, JY Kawagoe, and FGd Menezes

LETTERS TO THE EDITOR

- Wearing a white coat in theory class during medical school, is it justified? reply to development and validation of the knowledge, attitude and practice questionnaire (LAUNDERKAP) regarding white coat use among medical students during clinical practice** 966
S Mukhida, S Khan, S Kannuri, V Mali, S Bhaumik, and NK Das

- Response to the letter to the editor: "Wearing a white coat in theory class during medical school, is it justified?"** 967
TY Lam, CK Chan, PSM Lai, and H Sulaiman

 **Article is available online** www.ajicjournal.org